



A-ITX-4011

A-ITX-4012



Bright blue LED on
Power button



Door for Dual USB, Card
Reader, HD Audio for
easy access



A-ITX-4021

A-ITX-4022



Blue LED decoration lens



User friendly design,
Dual USB, Card Reader,
HD Audio for easy access



A-ITX-403





USB, Audio on the top for
easy access



Elegant panel design,
metal mesh for better
ventilation




IT4 STRUCTURE




IT4A STRUCTURE



* Dual Slot for ITX system.



IT9 STRUCTURE



IT9A STRUCTURE



Features

- * Aluminum case with thickness of 3.0mm.
- * Small quantity available.
- * Customize front panel acceptable.

STRUCTURE	IT4	IT4A	IT9	IT9A
DIMENSION (WxHxD)	135 x 290 x 212 mm	135 x 290 x 210 mm	242 x 68 x 195 mm	242 x 90 x 195 mm
DRIVE SPACE 5.25"	1	1(Slim)	0	0 1(Slim)
DRIVE SPACE 3.5" HDD	1	0	0	1 0
DRIVE SPACE 2.5" HDD	1	3	2	1 2
M/B CONFIGURATION	MINI ITX	MINI ITX	Mini ITX	Mini ITX
POWER SUPPLY	SFX	SFX	DD BOARD+ADAPTOR	DD BOARD+ADAPTOR
COOLING FRONT	1 x 6 or 8cm	8cm x 3	Ventilation hole on top and side	Ventilation hole on top and side
SYSTEM REAR	2 x 6cm	6cm x 2		
EXPANSION SLOT	1	2	0	1 1
MEASUREMENT	0.68'	0.68'	0.3'	0.35'

**Features**

- * Slim Size Mini ITX case.
- * Metal front panel, solid structure.
- * Suitable for industrial application.

**A-ITX-001**

Option: Monitor bracket

**Features**

- * Slim Size Mini ITX case.
- * Aluminum case with thickness of 3.0mm.
- * Suitable for industrial application.
- * Option: Black or Silver Color.

**A-ITX-002****A-ITX-100A****Features**

- * Thin ITX case, 2 Liter Design
- * Elegant matte finish with hidden airflow hole on front panel
- * Top Air vent and Dual air vent side panel for better heat dissipation
- * 2.5" HDD fix part can be moveable (2 position to fix HDD)
- * With 4cm cooling fan, for best active internal airflow
- * Wireless front panel



Two position to fix HDD



Option: Vesa mount

STRUCTURE

	A-ITX-001	A-ITX-002	A-ITX-100A
DIMENSION (WxHxD)	44 x 180 x 203 mm	44 x 190 x 195 mm	55 x 200 x 200 mm
DRIVE SPACE SLIM ODD	-	-	-
DRIVE SPACE 3.5" HIDDEN	-	-	-
DRIVE SPACE 2.5" HIDDEN	1	1	1
M/B CONFIGURATION	MINI ITX	MINI ITX	MINI ITX
POWER SUPPLY	ADAPTOR	ADAPTOR	Pico Power + ADAPTOR
COOLING FAN	Fanless	Fanless	4cm(include)
MEASUREMENT	-	-	0.31'

**A-ITX-S101****A-ITX-S102****A-ITX-S103**

Option: CPU temperture LED display + sensor

Structure Image**MB & PSU SIDE****MB & PSU SIDE****MB & PSU SIDE****Features**


- * Independent space for HDD/ODD and MB/PSU, easy to assemble and better ventilation.
- * Mesh side panel support I3/I5/I7 CPU.
- * Built in Card Reader (Support SD/MMC/MS)
- * With Stand and VESA mount, easy to fit rear of monitor
- * Security: Kensington slot

STRUCTURE

	ITS1
DIMENSION (WxHxD)	197 x 80 x 235 mm
DRIVE SPACE SLIM ODD	1
DRIVE SPACE 2.5" HDD	1
M/B CONFIGURATION	MINI ITX
POWER SUPPLY	BUILT IN(SPECIAL FROM FACTOR)
EXPANSION SLOT	-
MEASUREMENT	0.68'



IT22 STRUCTURE




STRUCTURE	IT22	IT1
DIMENSION (WxHxD)	220 x 129 x 300 mm	185 x 70 x 220 mm
DRIVE SPACE 5.25"	1	1(Slim)
DRIVE SPACE 3.5" EXPOSED	1	0
DRIVE SPACE 3.5" HIDDEN	1	1(2.5")
M/B CONFIGURATION	MINI ITX	MINI ITX
POWER SUPPLY	SFX	DC to DC BOARD+ADAPTOR
COOLING SYSTEM	1 x 8cm (SIDE)	4010 FAN
EXPANSION SLOT	1	-
MEASUREMENT	0.65'	10pcs/CTN/3.06'



IT1 STRUCTURE



Option: Monitor bracket / Stand Holder





A-ITX-701



A-ITX-704



A-ITX-703



A-ITX-702




A-ITX-705




A-ITX-706


IT7A Structure



IT7B Structure



IT7 Structure



Option: Monitor bracket



STRUCTURE	IT7(A-ITX-701)	IT7A(A-ITX-702)	IT7B(A-ITX-703)
DIMENSION (WxHxD)	195 x 60 x 200 mm	195 x 83 x 200 mm	195 x 83 x 200 mm
DRIVE SPACE SLIM ODD	0	1	0
DRIVE SPACE 3.5" HIDDEN	0	0	1
DRIVE SPACE 2.5" HIDDEN	2	2	1
M/B CONFIGURATION	MINI ITX	MINI ITX	MINI ITX
POWER SUPPLY	DC to DC BOARD ADAPTOR	DC to DC BOARD ADAPTOR	DC to DC BOARD ADAPTOR
COOLING SYSTEM (OPTION)	2 x 5010 FAN	2 x 5010 FAN	2 x 5010 FAN
MEASUREMENT	10pcs/CTN/3.06'	10pcs/CTN/3.06'	10pcs/CTN/3.06'



A-6201-1
(Black & Black)

A-6201-2
(Black & Silver)




Luxury stand


Aluminum
decoration plate

A-6202-1
(Black & Silver)

IT6B STRUCTURE



PSU space



Drive bracket

8cm Fan space

PSU space

Low Profile slot

STRUCTURE	IT6B
DIMENSION (WxHxD)	95 x 285 x 385mm
DRIVE SPACE 5.25"	1
DRIVE SPACE 3.5" HDD	1
MAIN BOARD	MICRO ATX / MINI ITX
POWER SUPPLY	SFX
COOLING SYSTEM	1 x 8cm on the top
EXPANSION SLOT	4(Low-profile)
MEASUREMENT	0.65'



A-6001-1

A-6001-2

A-6002



Option
Card Reader



Handle & 8cm fan
Space



Top PSU Space



Luxury base



A-6003



A-6004



Option
Card Reader



A-6005




Luxury base

■ IT6 STRUCTURE



PSU Position

Low-profile slot



Reverse drive bracket

STRUCTURE		IT6
DIMENSION (WxHxD)		99 x 295 x 365mm
DRIVE SPACE 5.25"		1
DRIVE SPACE 3.5" FDD		0
DRIVE SPACE 3.5" HDD		2 or 3.5" x 1+2.5" x 1
MAIN BOARD		MICRO ATX / MINI ITX
POWER SUPPLY		SFX
COOLING	TOP	1 x 8cm
SYSTEM	SIDE	1 x 9cm
EXPANSION SLOT		4(Low-profile)
MEASUREMENT		0.85'



A-ITX-501-1
(Gray & Black)

A-ITX-501-2
(Black)



The Piano finished



USB Audio on the front
panel for easy access



W / Luxury stand



Unique Power
Button design

Features

- * Compact size for mini-ITX PC system
- * Attractive design with glassy black color
- * Dual USB, Audio jack on the front panel
- * Luxury stand




A-ITX-502

A-ITX-503

Features

- A-ITX-502/503
- * Compact size for Mini-ITX PC system
- * Panel design is glossy black with silver decoration to keep the stylish look
- * Luxury stand for chassis put by vertically position

IT5 STRUCTURE



STRUCTURE	IT5
DIMENSION (WxHxD)	88 x320 x 260 mm
DRIVE SPACE SLIM ODD EXPOSED	1
DRIVE SPACE 3.5" FDD	1
DRIVE SPACE 3.5" / 2.5" HDD	1 x 3.5" or 2 x 2.5"
MAIN BOARD CONFIGURATION	MINI ITX
POWER SUPPLY	SFX
FRONT	2 x 6cm
MEASUREMENT	0.47'

Features

- * Micro ATX Gaming Case
- * Independent MB & PSU space to spread heat of system.
- * Can install 340mm long card & 155mm high CPU cooling kit.
- * Compatible with liquid and ventilation cooling system together.
- * Two sets Tool free kits for 3.5" HDD or 2.5" SSD.



A-3701-SW7



A-3702-SW7



Long Card fix bracket



Luxury Base



A-6301-IT63

Quick Release button




Stand Holder



A-6302-IT63

Features

- * Slim Micro ATX Case
- * Reverse drive bracket easy to assembly.
- * Tool free for all drive bay.
- * Wireless front panel design.




Reverse drive bracket

STRUCTURE	SW7I	T63
DIMENSION (WxHxD)	188 x 380 x 350 mm	102 x 338 x 356 mm
DRIVE SPACE ODD	0	1
DRIVE SPACE 3.5" HIDDEN	2 (with tool free kit)	1
DRIVE SPACE 2.5" HIDDEN	2	1
M/B CONFIGURATION	Micro ATX / MINI ITX	Micro ATX / MINI ITX
POWER SUPPLY	PS2	TFX
COOLING FAN	Front 3 x 12cm , Rear 1 x 12cm Top 2 x 12cm	Front 1 x 8cm / 9cm
EXPENSION SLOT	44	(Low Profile)
MEASUREMENT	1.92'	1.34'

IT10 STRUCTURE



A-ITX-1001



Independent M/B & PSU space

Expansion Slot * 2

6cm FAN space




Luxury Stand

IT10A STRUCTURE



A-ITX-1002



PSU

Expansion Slot*2

6cm FAN space

3.5" HDD

Slim ODD

2.5" HDD



Luxury Stand

Features

- * Aluminum case with thickness of 3.0mm.
- * Independent M/B & PSU space for better thermal dissipation.
- * Small quantity available.
- * Customize front panel acceptable.

STRUCTURE	IT10	IT10A
DIMENSION (WxHxD)	240 x 226 x 195 mm	240 x 240 x 195 mm
DRIVE SPACE 5.25"	0	1
DRIVE SPACE 3.5" EXPOSED	1	1
DRIVE SPACE 2.5" HIDDEN	1	1
MAIN BOARD	MINI ITX	MINI ITX
POWER SUPPLY	PS2	PS2
COOLING SYSTEM	Rear-6cm x 3(Optional)	Rear-6cm x 3(Optional)
EXPANSION SLOT	2	2
MEASUREMENT	0.76'	0.8'




A-ITX-4302

Features

- * Aluminum case with thickness of 3.0mm.
- * Independent M/B & PSU space for better thermal dissipation.
- * Small quantity available.
- * Customize front panel acceptable.

SW5 STRUCTURE



STRUCTURE

SW5

DIMENSION (WxHxD)		240x 280 x 310 mm
DRIVE SPACE 5.25"		1
DRIVE SPACE 3.5" FDD		1
DRIVE SPACE 3.5" HDD		2
MAIN BOARD		Mini ITX / Micro ATX
POWER SUPPLY		PS2
COOLING SYSTEM	FRONT	14cm*1(Option)
	REAR	6*3 (Option)
EXPANSION SLOT		4
MEASUREMENT		1.3'

VINTAGE



**A-2976-1-SW
(Black & Silver)**



**A-2976-2-SW
(White & Silver)**



**A-2976-3-SW
(Black)**



User-friendly design of
USB x 4, Audio in / out



The polished
finished

HANS



A-4301-SW4

Option:

- * Version 3.0 USB port



A-3602-SW6



A-3601-SW6

Mesh for better ventilation




A-3603-SW6




Hidden 3.5" drive bay

* User friendly design for Power,reset buttons on the top

SW STRUCTURE





SW4 STRUCTURE



SW6 STRUCTURE

STRUCTURE	SW	SW4	SW6
DIMENSION (WxHxD)	195 x 370 x 350 mm	180x 350 x 380 mm	180*365*390mm
DRIVE SPACE 5.25"	2	2	1
DRIVE SPACE 3.5" FDD	1	1	1
DRIVE SPACE 3.5" HDD	2	2	2
DRIVE SPACE 2.5" HDD	-	1	0
MAIN BOARD	Micro ATX	Micro ATX	Micro ATX
POWER SUPPLY	PS2(Horizontal)	PS2 (Horizontal)	PS2 (Horizontal)
COOLING SYSTEM	FRONT	1 x 8 / 9 / 12cm	8 / 9 / 12cm
	REAR	1 x 8 / 12cm	8 / 12cm
	SIDE	1 x 8cm	-
	TOP	-	-
EXPANSION SLOT	4 Stainless slot cover	4	4
MEASUREMENT	1.49'	1.58'	1.38'

ROCK



* See SW2 structure images at page 18.

PLATO

**A-3301****A-3302-1(Black)****A-3302-2(Black)****A-3303****A-3304-1
(Black & Silver)****A-3304-2
(Black)****A-3305
(Black)**

Card Reader

Elegant panel design,
metal mesh for better
ventilation

SW2 / SW3 / JS1 STRUCTURE

SW2 STRUCTURE



SW3 MICRO STRUCTURE



JS1 ATX STRUCTURE



STRUCTURE		SW2	SW3	JS1
DIMENSION (WxHxD)		175x 355 x 382 mm	173 x 365 x 368mm	173 x 365 x 368mm
DRIVE SPACE 5.25"		2	2	2
DRIVE SPACE 3.5" FDD		1	1	1
DRIVE SPACE 3.5" HDD		2	2	2
MAIN BOARD		Micro ATX	Micro ATX	ATX
POWER SUPPLY		PS2 (Horizontal)	PS2(Horizontal)	PS2(Horizontal)
COOLING SYSTEM	FRONT	1x8 / 9 / 12cm	1 x 8/9cm	-
	REAR	1 x 8/9cm	1 x 8/9cm	1 x 8/9cm
	SIDE	-	1 x 8cm	1 x 8cm
EXPANSION SLOT		4	4	7
MEASUREMENT		1.51'	1.33'	1.33'

* See SW3 / JS1 structure images at page 18.

RAFALE



Power & Reset buttons on the top for easy access



Option: Support USB 3.0 version



Metal mesh front panel w / filter for anti-dust inside

A-2179B (Black & Gray)

A-2179A (Black)

Features:

- * Attractive outlook
- * Meshed with filter on the front panel for better ventilation
- * User friendly design for Power,reset buttons on the top
- * Support 2 x USB,Audio jack on the front panel

Option:

- * Black interior color
- * Version 3.0 USB port
- * 2 x 12cm top fan hole

VINTAGE



A-2977-1



The unique logo space



Aluminum decoration plate with Power button



User-friendly design of USBx4,Audio in/out



The polish finished

PRO 1



A-2767-2 (Red)

A-2767-1 (Silver)

A-2767-3 (Gray)

A-2767-4 (Blue)



Exposed DVD door for easy use



User friendly for USB, Aduio devices



Additional IEEE Audio port



Hidden ventilation hole

■ SX-1 STRUCTURE




■ SXU-2 / SXD-3 STRUCTURE

SXU-2 STRUCTURE



SXD-3 STRUCTURE



STRUCTURE		SX-1	SXD-3	SXU-2
DIMENSION (WxHxD)		200 x 430 x 440mm	200 x 430 x 440mm	200 x 430 x 440mm
DRIVE SPACE 5.25"		4	4	4
DRIVE SPACE 3.5" FDD		2	2	2
DRIVE SPACE 3.5" HDD		4	3	5
DRIVE SPACE 2.5" HDD		0	3	-
MAIN BOARD		ATX/Micro ATX	ATX/Micro ATX	ATX/Micro ATX
POWER SUPPLY		PS2(Horizontal)	PS2(Horizontal)	PS2(Horizontal)
COOLING SYSTEM	FRONT	1 x 8/9/12cm	1 x 12cm	1 x 8/12cm
	REAR	1 x 8/12cm	1 x 12cm	1 x 8/12cm
	SIDE	2 x 8/12cm	2 x 12cm	1 x 8 or 12cm
	TOP	-	2 x 12cm(Optional)	-
	BOTTOM	-	2 x 12 cm	-
EXPANSION SLOT		7	7	7
MEASUREMENT		2.18'	2.32'	2.18'



A-2801 (Black)



A-2802 (Black)



A-2803 (Black)




A-2804 (Black)



A-2805 (Black)



A-2807 (Black)



A-2806-2(Gaming Case)

**A-2806-1
(Gaming Case)**

■ PD STRUCTURE



Full mainboard base

■ PG STRUCTURE



Cable management

STRUCTURE		PD	PG
DIMENSION (WxHxD)		178 x 420 x 377 mm	178 x 420 x 377 mm
DRIVE SPACE 5.25"		4	2
DRIVE SPACE 3.5" FDD		1	0
DRIVE SPACE 3.5" HDD		6	6
M/B CONFIGURATION		ATX	ATX
POWER SUPPLY		PS2	PS2
COOLING SYSTEM	REAR	8/9 cm	8/9 cm
	SIDE	8cm x 1	12cm x 1
EXPANSION SLOT		7	7
MEASUREMENT		1.67'	1.8'



A-2905(Black)

A-2905(White)

A-2904-1(Black)

A-2904-2(Green)




A-2901(Black)

A-2902 (Black)

**A-2903-1(Gray)
A-2903-3 (Green)**

**A-2903-2(Red)
A-2903-4(Blue)**

■ PF STRUCTURE



storage space



Feathers:

- * Advance cooling system –4fans mounts for high performance
- * Cable management design structure
- * Supports up to 330 mm long cards
- * Edge cut free design



A-2701(Black)

A-2702(Black)

A-2703(Black)

A-2704(Black)

Feathers:

- * Super space design compatible for All ATX, Micro ATX, ITX MB
- * Edge cut free design.



A-2705(Black)

■ PE STRUCTURE



STRUCTURE		PF	PE
DIMENSION (WxHxD)		180 x 412 x 370 mm	175 x 405 x 330 mm
DRIVE SPACE 5.25"		3	2
DRIVE SPACE 3.5"		3 (1+2 Internal)	3
DRIVE SPACE 2.5" HDD		2	1
MAIN BOARD		ATX	ATX
POWER SUPPLY		PS2	PS2
COOLING SYSTEM	FRONT	12cm x 1	
	REAR	8/12cm x 1	8/9 cm
	SIDE	12cm x 2	8 / 9 / 12cm x 2
EXPANSION SLOT		7	7
MEASUREMENT		1.46'	1.37'

AB Power

ABSOLUTELY THE BEST



Mirror Black



Mirror Blue



Brone





Black




FEATURES

- * 80 Plus certificate for energy saving.
- * Active PFC for high efficient power output.
- * EUP less than 1W for +5V stand by.
Engery saving and environmentally-friendly.
- * 3-Year-Warranty for excellent quality guarantee (80+ items)
- * PCI-Express & nVidia SLI support gaming systems and high performance graphic cards.



SATA



20 + 4 Pin



P4 + P4



P6



Shielded Cable



Easy Plug